

CATALOGUE
CHAMPION DENTAL
HIGHSPEED HANDPIECE
DENTAL EQUIPMENT



CATALOGUE

03 WHY CHAMPION DENTAL HIGHSPEED HANDPIECE?

04 MINI HEAD

H-103 Copper 4 Holes Mini Head Generator LED (G,J)
H-110 Mini Head Generator LED 4 Holes Copper (G,J)
P-214 Copper 4 Holes Mini Head Non LED (G,J)

10 STANDARD HEAD

H-108 Copper 4 Holes Standard Head Generator LED (G,J)
H-108 Copper 4 Holes Standard Head Generator LED **Zero Suction** (G,J)
P-231 Copper 4 Holes Standard Head 4 Ports NON LED (G,J)
P-237 Copper 4 Holes Standard Head Single Spray NON LED (G,J)

18 45 DEGREE HEAD

H-104 45 Degree Head Generator LED Copper (G,J)
P-218 Copper 4 Holes 45 Degree Head NON LED (G,J)
P-218 Copper 4 Holes 45 Degree Head NON LED **Zero Suction** (G,J)

24 CUSTOMER SUPPORT

Monday - Friday : 8am - 5pm. (GMT +7)
Saturday : 8am - 1pm. (GMT + 7)

OVERVIEW



WHY CHAMPION DENTAL HIGHSPEED HANDPIECE?

- *CHAMPION MEDICAL INSTRUMENT CO., LTD is professional manufacturer in dental products with well-experience R&D department and imported machinery. Also have been trusted by more customer in Europe and etc.*
- *Have two option bearing manufactures: Japan and Germany. With LED and Non-LED.*
- *Lightweight handpiece with smoother sound when operate the dental handpiece.*
- *Have head handpiece that smaller (mini-head) than standard handpiece, which can be use in many cases and make dental practice easier.*
- *PT Integra Meditama as an Exclusive Distributor of Dental Handpiece Champion in Indonesia will give after sales service on behalf our sales representatives around Indonesia.*



CATALOGUE

OVERVIEW

MINI HEAD (H-103, H-110, P-214)

STANDARD (H-108, P-231, P-237)

45 DEGREE (H-104, P-218)



H-103 COPPER 4 HOLES MINI
HEAD GENERATOR LED (G,J)

ORDER HERE

H-103 COPPER 4 HOLES MINI HEAD GENERATOR LED (G,J)

Copper 4 Holes Mini Head Generator LED

● Carbide Bur Guide Spindle

Carbide is the hardest material, perfect concentricity to ensure long term life.

● High Precision Balance Test

Every impeller through balance test to reach best effect. It make bur stably run and noise quieter, service life longer.

● Stainless Steel Head

Prevent out of shape while drop floor.

● Contact Angular Bearing (Germany)

With long term durability.

Model CHAMPION mini

Code : H-103

Head Size : 9.15 x 8.8 mm

Power : 16 Watt

Spray : Single Spray

Noise : <60 dB

Speed : 420,000 rpm

Chuck Power : >3.0 kg

Material : Copper

LED : SMD LED (Durable)



CATALOGUE

OVERVIEW

MINI HEAD (H-103, H-110, P-214)

STANDARD (H-108, P-231, P-237)

45 DEGREE (H-104, P-218)



H-110 MINI HEAD GENERATOR LED
4 HOLES COPPER (G,J)

ORDER HERE

H-110 MINI HEAD GENERATOR LED 4 HOLES COPPER (G,J)

Mini Head Generator LED 4 Holes Copper

● Carbide Bur Guide Spindle

Carbide is the hardest material, perfect concentricity to ensure long term life.

● High Precision Balance Test

Every impeller through balance test to reach best effect. It make bur stably run and noise quieter, service life longer.

● Stainless Steel Head

Prevent out of shape while drop floor.

● Contact Angular Bearing (Germany)

With long term durability.

Model CHAMPION mini

Code : H-110

Head Size : 10 x 10.8 mm

Power : 17 Watt

Spray : Single Spray

Noise : <60 dB

Material : Copper

Air Pressure : 0.2-0.22 MPa

Speed : 390,000-420,000 rpm



CATALOGUE

OVERVIEW

MINI HEAD (H-103, H-110, P-214)

STANDARD (H-108, P-231, P-237)

45 DEGREE (H-104, P-218)



P-214 COPPER 4 HOLES MINI
HEAD NON LED (G,J)

ORDER HERE

P-214 COPPER 4 HOLES MINI HEAD NON LED (G,J)

Copper 4 Holes Mini Head Non LED

● Carbide Bur Guide Spindle

Carbide is the hardest material, perfect concentricity to ensure long term life.

● High Precision Balance Test

Every impeller through balance test to reach best effect. It make bur stably run and noise quieter, service life longer.

● Stainless Steel Head

Prevent out of shape while drop floor.

● Contact Angular Bearing (Germany)

With long term durability.

Model PRESTIGE mini

Code : P-214

Head Size : 9.15 x 8.8 mm

Power : 16 Watt

Spray : Single spray

Noise : <60 dB

Speed : 420,000 rpm

Chuck Power : >3.0 kg

Material : Copper



CATALOGUE

OVERVIEW

MINI HEAD (H-103, H-110, P-214)

STANDARD (H-108, P-231, P-237)

45 DEGREE (H-104, P-218)



**H-108 COPPER 4 HOLES STANDARD
HEAD GENERATOR LED (G,J)**

ORDER HERE

Available For Zero Suction Edition

H-108 COPPER 4 HOLES STANDARD HEAD GENERATOR LED (G,J)

Copper 4 Holes Standard Head Generator LED

● Carbide Bur Guide Spindle

Carbide is the hardest material, perfect concentricity to ensure long term life.

● High Precision Balance Test

Every impeller through balance test to reach best effect. It make bur stably run and noise quieter, serice life longer.

● Stainless Steel Head

Prevent out of shape while drop floor.

● Contact Angular Bearing (Germany)

With long term durability.

Model HONOR standard

Code : H-108

Head Size : 13.3 x 11.2 mm

Power : 21 Watt

Spray : 4 Water Spray

Noise : <60 dB

Speed : 370,000 rpm

Chuck Power : >3.0 kg

Available For Zero Suction Edition

Material : Copper

LED : SMD LED (Durable)



CATALOGUE

OVERVIEW

MINI HEAD (H-103, H-110, P-214)

STANDARD (H-108, P-231, P-237)

45 DEGREE (H-104, P-218)

**ZERO
SUCTION**

H-108 COPPER 4 HOLES
STANDARD HEAD GENERATOR LED
ZERO SUCTION (G,J)

ORDER HERE

H-108 COPPER 4 HOLES STANDARD HEAD GENERATOR LED ZERO SUCTION (G,J)

Copper 4 Holes Standard Head Generator LED Zero Suction

● Carbide Bur Guide Spindle

Carbide is the hardest material, perfect concentricity to ensure long term life.

● High Precision Balance Test

Every impeller through balance test to reach best effect. It make bur stably run and noise quieter, service life longer.

● Stainless Steel Head

Prevent out of shape while drop floor.

● Contact Angular Bearing (Germany)

With long term durability.

Model HONOR standard

Code : H-108

Head Size : 13.3 x 11.2 mm

Power : 21 Watt

Spray : 4 Water Spray

Noise : <60 dB

Speed : 370,000 rpm

Chuck Power : >3.0 kg

Material : Copper

LED : SMD LED (Durable)

Zero Suction Edition



CATALOGUE

OVERVIEW

MINI HEAD (H-103, H-110, P-214)

STANDARD (H-108, P-231, P-237)

45 DEGREE (H-104, P-218)



P-231 COPPER 4 HOLES STANDARD
HEAD 4 PORTS NON LED (G,J)

ORDER HERE

P-231 COPPER 4 HOLES STANDARD HEAD 4 PORTS NON LED (G,J)

Copper 4 Holes Standard Head 4 Ports Non LED

● Carbide Bur Guide Spindle

Carbide is the hardest material, perfect concentricity to ensure long term life.

● High Precision Balance Test

Every impeller through balance test to reach best effect. It make bur stably run and noise quieter, service life longer.

● Stainless Steel Head

Prevent out of shape while drop floor.

● Contact Angular Bearing (Germany)

With long term durability.

Model PRESTIGE standard

Code : P-231

Head Size : 13.3 x 11.2 mm

Power : 21 Watt

Spray : 4-ports water spray

Noise : <60 dB

Speed : 370,000 rpm

Chuck Power : >3.0 kg

Material : Copper with
titanium coating



CATALOGUE

OVERVIEW

MINI HEAD (H-103, H-110, P-214)

STANDARD (H-108, P-231, P-237)

45 DEGREE (H-104, P-218)



P-237 COPPER 4 HOLES STANDARD
HEAD SINGLE SPRAY NON LED (G,J)

ORDER HERE

P-237 COPPER 4 HOLES STANDARD HEAD SINGLE SPRAY NON LED (G,J)

Copper 4 Holes Standard Head Single Port Non LED

● Carbide Bur Guide Spindle

Carbide is the hardest material, perfect concentricity to ensure long term life.

● High Precision Balance Test

Every impeller through balance test to reach best effect. It make bur stably run and noise quieter, service life longer.

● Stainless Steel Head

Prevent out of shape while drop floor.

● Contact Angular Bearing (Germany)

With long term durability.

Model PRESTIGE standard

Code : P-237

Head Size : 13.3 x 12.5 mm

Power : 19 Watt

Spray : Single spray

Noise : <60 dB

Speed : 370,000 rpm

Chuck Power : >3.0 kg

Material : Copper



CATALOGUE

OVERVIEW

MINI HEAD (H-103, H-110, P-214)

STANDARD (H-108, P-231, P-237)

45 DEGREE (H-104, P-218)



H-104 45 DEGREE HEAD
GENERATOR LED COPPER (G,J)

ORDER HERE

H-104 DEGREE HEAD GENERATOR LED COPPER (G,J)

45 Degree Head Generator LED Copper

● Carbide Bur Guide Spindle

Carbide is the hardest material, perfect concentricity to ensure long term life.

● High Precision Balance Test

Every impeller through balance test to reach best effect. It make bur stably run and noise quieter, service life longer.

● Stainless Steel Head

Prevent out of shape while drop floor.

● Contact Angular Bearing (Germany)

With long term durability.

Model CHAMPION elevation

Code : H-104

Head Size : 11.3 x 13.9 mm

Power : 21 Watt

Spray : 3 Water Jet

Noise : <62 dB

Material : Copper

Chuck Power : >3.0 kg

Speed : 360,000-390,000 rpm



CATALOGUE

OVERVIEW

MINI HEAD (H-103, H-110, P-214)

STANDARD (H-108, P-231, P-237)

45 DEGREE (H-104, P-218)



**P-218 COPPER 4 HOLES 45 DEGREE
HEAD NON LED (G,J)**

ORDER HERE

Available For Zero Suction Edition

P-218 COPPER 4 HOLES 45 DEGREE HEAD NON LED (G,J)

Copper 4 Holes 45 Degree Head Non LED

● Carbide Bur Guide Spindle

Carbide is the hardest material, perfect concentricity to ensure long term life.

● High Precision Balance Test

Every impeller through balance test to reach best effect. It make bur stably run and noise quieter, service life longer.

● Stainless Steel Head

Prevent out of shape while drop floor.

● Contact Angular Bearing (Germany)

With long term durability.

Model PRESTIGE elevation

Code : P-218

Head Size : 13.3 x 11.2 mm

Power : 21 Watt

Spray : 3 Water Jet

Noise : <60 dB

Speed : 370,000 rpm

Chuck Power : >3.0 kg

Available For Zero Suction Edition

Material : Copper



CATALOGUE

OVERVIEW

MINI HEAD (H-103, H-110, P-214)

STANDARD (H-108, P-231, P-237)

45 DEGREE (H-104, P-218)

**ZERO
SUCTION**

**P-218 COPPER 4 HOLES
45 DEGREE HEAD NON LED
ZERO SUCTION (G,J)**

ORDER HERE

P-218 COPPER 4 HOLES 45 DEGREE HEAD NON LED ZERO SUCTION (G,J)

Copper 4 Holes 45 Degree Head Non LED Zero Suction

● Carbide Bur Guide Spindle

Carbide is the hardest material, perfect concentricity to ensure long term life.

● High Precision Balance Test

Every impeller through balance test to reach best effect. It make bur stably run and noise quieter, service life longer.

● Stainless Steel Head

Prevent out of shape while drop floor.

● Contact Angular Bearing (Germany)

With long term durability.

Model PRESTIGE elevation

Code : P-218

Head Size : 13.3 x 11.2 mm

Power : 21 Watt

Spray : 3 Water Jet

Noise : <60 dB

Speed : 370,000 rpm

Chuck Power : >3.0 kg

Material : Copper

Zero Suction Edition





CONTACT US

Become YOUR #1 BEST PARTNER
in the dental industry

We value your feedback and are here to assist you. Please don't hesitate to get in touch with us for any inquiries, suggestions, or concerns. We're committed to providing you with excellent service.



INTEGRA BEST DEAL
0878-6829-7901



INSTAGRAM
@INTEGRA_DENTAL.ID



EMAIL
SALES@INTEGRAMEDITAMA.CO.ID

