

CATALOGUE CHAMPION DENTAL HANDPIECE



CATALOGUE

03	WHY DENTAL HANDPIECE CHAMPION?
04	P-231 COPPER 4 HOLES STANDARD HEAD 4 PORTS NON LED Germany, Japan Version
06	P-237 COPPER 4 HOLES STANDARD HEAD SINGLE SPRAY NON LED Germany, Japan Version
08	P-214 COPPER 4 HOLES MINI HEAD NON LED Germany, Japan Version
10	P-218 COPPER 4 HOLES 45 DEGREE HEAD NON LED Japan Version
12	H-108 COPPER 4 HOLES STANDARD HEAD GENERATOR LED Germany, Japan Version
14	H-103 COPPER 4 HOLES MINI HEAD GENERATOR LED Germany, Japan Version
16	CUSTOMER SUPPORT Monday - Friday: 8am - 5pm. (GMT +7)

Saturday: 8am - 1pm. (GMT + 7)

CATALOGUE **OVERVIEW** P231 P237 H103

OVERVIEW CHAMPION MEDICAL PASSION FOR EXCELLENCE



WHY DENTAL HANDPIECE?

- CHAMPION MEDICAL INSTRUMENT CO.,LTD is professional manufacturer in dental products with well-experience R&D department and imported machinery. Also have been trusted by more customer in Europe and etc.
- Have two option bearing manufactures: Japan and Germany. With LED and Non-LED
- Lightweight handpiece with smoother sound when operate the dental handpiece.
- Have head handpiece that smaller (Mini-head) than standard handpiece, which can be use in many cases and make dental practice easier.
- PT Integra Meditama as an Exclusive Distributor of Dental Handpiece Champion in Indonesia will give after sales service on behalf our sales representatives around Indonesia.





P-231 COPPER 4 HOLES STANDARD HEAD 4 PORTS NON LED

P-231 COPPER 4 HOLES STANDARD HEAD 4 PORTS NON LED

Copper 4holes Standard Head 4Ports Non LED

Carbide Bur Guide Spindle

Carbide is the hardest material, perfect concentricity to ensure long term life.

High Precision Balance Test

Every impeller through balance test to reach best effect. It make bur stably run and noise quieter, serive life longer.

Stainless Steel Head

Prevent out of shape while drop floor.

Contack Angular Bearing (Germany)

With long term durability.

Model PRESTIGEstandard

Order code: P-231

Head Size: 13.3*11.2mm

Power: 21 Watt

Spray: 4-ports water spray

Noise: <60dB

Speed: 370k RPM

Chuck Power: >3.0 Kg



Material: Copper with

titanium coating



P-237 COPPER 4 HOLES STANDARD **HEAD SINGLE SPRAY NON LED**

CATALOGUE | OVERVIEW | P231 | P237 | P214 | P218 | H108 | H103

P-237 COPPER 4 HOLES STANDARD HEAD SINGLE SPRAY NON LED

Copper 4holes Standard Head Single Port Non LED

Carbide Bur Guide Spindle

Carbide is the hardest material, perfect concentricity to ensure long term life.

High Precision Balance Test

Every impeller through balance test to reach best effect. It make bur stably run and noise quieter, serive life longer.

Stainless Steel Head

Prevent out of shape while drop floor.

Contack Angular Bearing (Germany)

With long term durability.

Model PRESTIGEstandard

Order code: P-237

Head Size: 13.3*12.5mm

Power: 19 Watt

Spray: Single spray

Noise: <60dB

Speed: 370k RPM

Chuck Power: >3.0 Kg



Material: Copper



P-214 COPPER 4 HOLES MINI HEAD NON LED

Copper 4holes mini Head Single Port Non LED

Carbide Bur Guide Spindle

Carbide is the hardest material, perfect concentricity to ensure long term life.

High Precision Balance Test

Every impeller through balance test to reach best effect. It make bur stably run and noise quieter, serive life longer. H103

Stainless Steel Head

Prevent out of shape while drop floor.

Contack Angular Bearing (Germany)

With long term durability.

Model PRESTIGEmini

Order code:P-214

Head Size: 9.15*8.8mm

Power: 16 Watt

Spray: Single spray

Noise: <60dB

Speed: 420k RPM

Chuck Power: >3.0 Kg



Material: Copper



P-218 COPPER 4 HOLES 45 DEGREE HEAD NON LED

P-218 COPPER 4 HOLES 45 DEGREE HEAD NON LED

Copper 4 Holes 45 Degree Head Non LED

Carbide Bur Guide Spindle

Carbide is the hardest material, perfect concentricity to ensure long term life.

High Precision Balance Test

Every impeller through balance test to reach best effect. It make bur stably run and noise quieter, serive life longer.

Stainless Steel Head

Prevent out of shape while drop floor.

Contack Angular Bearing (Germany)

With long term durability.

Model PRESTIGEelevation

Order code:P-218

Head Size: 13.3*11.2mm

Power: 21 Watt

Spray: 3 Water Jet


Noise: <60dB

Speed: 370k RPM

Chuck Power: >3.0 Kg



Material: Copper



H-108 COPPER 4 HOLES STANDARD HEAD GENERATOR LED

CATALOGUE | OVERVIEW | P231 | P237 | P214 | P218 | H108 | H103

H-108 COPPER 4 HOLES STANDARD HEAD GENERATOR LED

Copper 4holes Standard Head Generator LED

Carbide Bur Guide Spindle

Carbide is the hardest material, perfect concentricity to ensure long term life.

Even vinen ellev thus vele leelev

High Precision Balance Test

Every impeller through balance test to reach best effect. It make bur stably run and noise quieter, serive life longer.

Stainless Steel Head

Prevent out of shape while drop floor.

Contack Angular Bearing (Germany)

With long term durability.

Model HONORstandard

Order code:H-108

Head Size: 13.3*11.2mm

Power: 21 Watt

Spray: 4 Water Spray

Noise: <60dB

Speed: 370k RPM

Chuck Power: >3.0 Kg



Material: Copper

LED: SMD LED (Durable)



H-103 COPPER 4 HOLES MINI HEAD GENERATOR LED

CATALOGUE | OVERVIEW | P231 | P237 | P214 | P21<u>8 | H108 | H103</u>

H-103 COPPER 4 HOLES MINI HEAD GENERATOR LED

Copper 4holes mini Head Generator LED

Carbide Bur Guide Spindle

Carbide is the hardest material, perfect concentricity to ensure long term life.

High Precision Balance Test

Every impeller through balance test to reach best effect. It make bur stably run and noise quieter, serive life longer.

Stainless Steel Head

Prevent out of shape while drop floor.

Contack Angular Bearing (Germany)

With long term durability.

Model CHAMPIONmini

Order code:H-103

Head Size: 9.15*8.8mm

Power: 16 Watt

Spray: Single Spray

Noise: <60dB

Speed: 420k RPM

Chuck Power: >3.0 Kg

Material: Copper

LED: SMD LED (Durable)



CONTACT US

Become YOUR #1 BEST PARTNER in the dental industry

We value your feedback and are here to assist you. Please don't hesitate to get in touch with us for any inquiries, suggestions, or concerns. We're committed to providing you with excellent service.









